

## Brunner, Ontario Research Plot 2020

Hybrid	Moisture	Yield	
DL 928	16.8	147	
DL 999	18.6	160	
DL 1081	17.6	150	
DL 1081	17.7	150	
DL 1081	17.7	151	
DL 1100	19.3	179	
DL 2016	19.1	166	
DL 2104	19.1	178	
DL 2104	19.7	176	
DL 2104	20.6	161	
DL 2202	19.0	134	
DL 2202	19.8	186	
DL 2288	19.3	195	
DL 2288	18.9	146	
DL 2288	18.6	149	
DL 2288	19.3	193	
DL 2315	18.9	152	
DL 2315	19.8	161	
DL 2315	19.2	212	
DL 1445	20.6	201	
DL 1445	21.6	126	
DL 1445	20.2	185	
DL 1445	20.7	211	
DL 2944	19.8	155	
DL 2944	19.9	180	
DL 2944	21.3	205	
DL 2944	20.5	186	
DL 2944	21.0	165	
DL 3146	18.8	157	
DL 3146	18.9	181	
DL 3146	19.1	188	
DL 1960	19.8	158	
DL 1960	21.4	159	
DL 1960	20.2	156	
DL 1960	19.6	159	
DL 1960	19.9	150	
DL 3217	22.1	156	
DL 3217	21.7	176	
DL 3808	23.6	191	
DL 3808	21.7	161	
DL 3808	20.9	194	
DL 4240	22.5	171	
DL 4240	21.5	160	
DL 4555	21.9	200	
DL 4555	22.7	169	
DL 4902	22.2	130	
DL 4902	22.6	216	

  

Averages of all reps		
Hybrid	Moisture	Yield
DL 928	16.8	147
DL 999	18.6	160
DL 1081	17.7	150
DL 1100	19.3	179
DL 2016	19.1	166
DL 2104	19.8	171
DL 2202	19.4	160
DL 2288	19.0	171
DL 2315	19.3	175
DL 1445	20.8	181
DL 2944	20.5	178
DL 3146	18.9	175
DL 1960	20.2	157
DL 3217	21.9	166
DL 3808	22.1	182
DL 4240	22.0	165
DL 4555	22.3	184
DL 4902	22.4	173

Brunner was planted May 5 in good soil conditions, but experienced a cold spell (snow) during germination. Stands were variable and therefore yields were also variable. The plot was harvested October 14.